

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	24311	(model\$5 or emulat\$5 or simulat\$5) with (communications or cellular or wireless or mobile or phone or cell or macro\$1cell or micro\$1cell) with (network or system)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/14 19:46
L2	74354	(RF adj (measurement or data)) or (power adj level) or (RSSI) or (received adj signal adj strength adj intensity) or ("C/I") or (carrier adj interference adj ratio) or ((wireless adj system) with performance with level)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/14 20:05
L3	1498	L1 and L2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/14 19:46
L4	100	L3 and (frequency with (specific or dependent or varying or related) with (characteristic or performance or behavior))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/14 20:07
L5	67	L4 and ((component or part or equipment) with (list or database or catalog or library or libraries or kit or assembl\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/14 20:08
L6	12	L5 and ((connectivity or compatib\$5) with (restrict\$5 or limit\$5 or warn\$5 or alert or error))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/14 19:46
L7	12	L5 and ((inter\$1operab\$5 connectivity or compatib\$5) with (restrict\$5 or limit\$5 or warn\$5 or alert or error))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/14 20:04
L8	1136	455/422.1.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/14 19:57
L9	1021	455/423.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/14 19:57
L10	513	455/424.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/14 19:57
L11	340	455/425.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/14 19:58

L12	764	455/426.1.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/14 19:58
L13	191	455/426.2.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/14 19:58
L14	195	455/443.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/14 19:58
L15	179	455/444.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/14 19:58
L16	567	455/446.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/14 19:58
L17	312	455/447.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/14 19:59
L18	116	455/448.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/14 19:59
L19	154	455/449.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/14 19:59
L20	3366	l8 or l9 or l10 or l11 or l16 or l17 or l18 or l19	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/14 20:00
L21	52	l20 and ((inter\$1operab\$5 or connectivity or compatib\$5) with (restrict\$5 or limit\$5 or warn\$5 or alert or error))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/14 20:05
L23	22	l21 and ((RF adj (measurement or data)) or (power adj level) or (RSSI) or (signal adj (strength or intensity)) or ("C/I") or ((carrier or interference) adj ratio) or (performance with level))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/14 20:07
L25	9	L23 and (frequency with (specific or dependent or varying or related))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/14 20:08

L26	5	L25 and ((component or part or equipment) with (list or database or catalog or library or libraries or kit or assembl\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/14 20:16
L27	1	"6504782".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/14 20:16
S1	19	(RAPPAPORT-THEODORE RAPPAPORT-THEODORE-S SKIDMORE-ROGER SKIDMORE-ROGER-R SKIDMORE-R).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/14 17:38
S2	0	("09633122").an.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/05 14:22
S3	0	("09633122").ap.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/05 14:22
S4	4	("633122").ap.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/05 14:23
S5	0	("09/633122").ap.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/05 14:23
S6	0	("09633122").ap.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/05 21:18
S7	94465	(design\$3 or deploy\$3) and (communicat\$7 with network\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/05 21:19
S8	49672	((design\$3 or deploy\$3) and (communicat\$7 with network\$3)) and @ad<"20000804"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/05 21:19
S9	27572	((design\$3 or deploy\$3) and (communicat\$7 with network\$3)) and @ad<"20000804") and (environment\$5 or geograph\$7)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/05 21:20
S10	24803	((design\$3 or deploy\$3) and (communicat\$7 with network\$3)) and @ad<"20000804") and (environment\$5 or geograph\$7)) and (component\$3 or element\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/05 21:21

S11	24772	(((((design\$3 or deploy\$3) and (communicat\$7 with network\$3)) and @ad<"20000804") and (environment\$5 or geograph\$7)) and (component\$3 or element\$3)) and (component\$2 or element\$2).	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/05 21:23
S12	6968	(((((design\$3 or deploy\$3) and (communicat\$7 with network\$3)) and @ad<"20000804") and (environment\$5 or geograph\$7)) and (component\$3 or element\$3)) and (component\$2 or element\$2)) and wireless	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/05 21:23
S13	3	(((((design\$3 or deploy\$3) and (communicat\$7 with network\$3)) and @ad<"20000804") and (environment\$5 or geograph\$7)) and (component\$3 or element\$3)) and (component\$2 or element\$2)) and wireless) and (component adj kit\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/05 21:23
S14	33	(((((design\$3 or deploy\$3) and (communicat\$7 with network\$3)) and @ad<"20000804") and (environment\$5 or geograph\$7)) and (component\$3 or element\$3)) and (component\$2 or element\$2)) and wireless) and (bill with material\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/05 21:24
S15	9	(((((design\$3 or deploy\$3) and (communicat\$7 with network\$3)) and @ad<"20000804") and (environment\$5 or geograph\$7)) and (component\$3 or element\$3)) and (component\$2 or element\$2)) and wireless) and (bill with material\$1)) and (("3" or three) adj (dimension\$2 or D))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/03/05 21:26
S16	38	(RAPPAPORT-THEODORE RAPPAPORT-THEODORE-S SKIDMORE-ROGER SKIDMORE-ROGER-R SKIDMORE-R).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/14 14:00
S17	183766	(model\$4 or emulat\$5 or simulat\$5) and ((communications or cellular or (mobile with phone)) same (network or system))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/14 17:41
S18	187855	(model\$4 or emulat\$5 or simulat\$5) and ((communications or cellular or wireless or (mobile with phone)) same (network or system))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/14 17:44

S19	38710	(model\$5 or emulat\$5 or simulat\$5) same ((communications or cellular or wireless or (mobile with phone)) same (network or system))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/14 18:30
S20	251490	(RF with (measurement or data)) or (power with level) or (RSSI) or (received adj signal adj strength adj intensity) or ("C/I") or (carrier adj interference adj ratio) or (wireless with system with performance with level)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/14 18:32
S21	5996	S19 and S20	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/14 18:11
S22	628	S21 and ((frequency same (specific or dependent or varying or related) same (characteristic or performance or behavior))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/14 18:18
S23	233	S22 and ((component or part or equipment) same (list or database or catalog or library or libraries))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/14 18:17
S24	106	S23 and ((connect\$5 or compatib\$5) with (restrict\$5 or limit\$5 or warn\$5 or alert or error))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/14 18:17
S25	288	S22 and ((component or part or equipment) same (list or database or catalog or library or libraries or kit or assembl\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/14 18:19
S26	126	S25 and ((connect\$5 or compatib\$5) with (restrict\$5 or limit\$5 or warn\$5 or alert or error))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/14 18:20
S27	209	S21 and (frequency with (specific or dependent or varying or related) with (characteristic or performance or behavior))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/14 18:33
S28	89	S27 and ((component or part or equipment) with (list or database or catalog or library or libraries or kit or assembl\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/14 18:33
S29	28	S28 and ((connect\$5 or compatib\$5) with (restrict\$5 or limit\$5 or warn\$5 or alert or error))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/14 18:34

S30	14358	(model\$5 or emulat\$5 or simulat\$5) with ((communications or cellular or wireless or (mobile with phone)) with (network or system))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/14 18:31
S31	24311	(model\$5 or emulat\$5 or simulat\$5) with (communications or cellular or wireless or mobile or phone or cell or macro\$1cell or micro\$1cell) with (network or system)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/14 18:31
S32	74354	(RF adj (measurement or data)) or (power adj level) or (RSSI) or (received adj signal adj strength adj intensity) or ("C/I") or (carrier adj interference adj ratio) or ((wireless adj system) with performance with level)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/14 18:33
S33	1498	S31 and S32	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/14 18:33
S34	100	S33 and (frequency with (specific or dependent or varying or related) with (characteristic or performance or behavior))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/14 18:33
S35	67	S34 and ((component or part or equipment) with (list or database or catalog or library or libraries or kit or assembl\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/14 18:33
S36	13	S35 and ((connect\$5 or compatib\$5) with (restrict\$5 or limit\$5 or warn\$5 or alert or error))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/14 19:46

Google [Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 7 of 7 for **(cellular OR wireless) (RSSI OR "power level") "frequency dependent" ("parts li**

Tip: Try removing quotes from your search to get more results.

[\[PDF\] Towards Integrated PSEs for Wireless Communications: Experiences ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... **wireless** networks are being transformed, from large-tower **cellular** systems,
... signal strength intensity – **RSSI**), we have come to appreciate the ...
people.cs.vt.edu/~ramakris/papers/wireless-pses.pdf - [Similar pages](#)

[\[PDF\] Towards Integrated PSEs for Wireless Communications: Experiences ...](#)

File Format: PDF/Adobe Acrobat

broadband **wireless** devices, the natural evolution of. **cellular** is to replace
large coverage cells ... predictions of signal strength (**RSSI**) and interference ...
portal.acm.org/ft_gateway.cfm?id=997128&type=pdf - [Similar pages](#)

[Dpt. of Defense SBIR Awards 1996.1](#)

A data dependent and **frequency dependent** weighted average of these individual
estimates ... Title: **Cellular** Pixel Array for Real Time Image Processing ...

www.nttc.edu/resources/funding/awards/dod/dodsbir96/phase1/962p1navy.asp - 226k - [Cached](#) - [Similar pages](#)

[\[PDF\] Agilent Ptolemy Simulation](#)

File Format: PDF/Adobe Acrobat

Page 1. Advanced Design System 2002 Agilent Ptolemy Simulation February 2002

Page 2. ii Notice The information contained in this document ...

eesof.viewmark.com/docs/adsd2002/pdf/ptolemy.pdf - Supplemental Result - [Similar pages](#)

[\[PDF\] Handout One](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Our **Parts List** Case: Boom Rack 2U rackmount 300w Motherboard: Asus A7M266 CPU:
AMD Thunderbird 1GHz Video card: Matrox G450 Dual Head 16MB ...

www.inthemedi.net/audiorus/dscworkbook.pdf - Supplemental Result - [Similar pages](#)

[Joelist Threaded Files](#)

The schematic and **parts list** is available in a large PDF file from ... The trap
is sort of a **frequency dependent** "leak" which you put in the pressure ...

rabi.nmr.mgh.harvard.edu/~reese/joetest/articles/articles_v02_w.html - 978k - [Cached](#) - [Similar pages](#)

[Joelist Threaded Files](#)

Guido Tent Engineer Electro Magnetic **Compatibility** Philips ... Push-pull 300B
amplification offers the highest output **power level** of any of the above ...

www.martinos.org/~reese/joetest/articles/articles_v01_b.html - 978k - [Cached](#) - [Similar pages](#)



(cellular OR wireless) (RSSI OR "po"

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google